

SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC



Locatie **Overijssel, Rijssen**
<https://www.advertentieX.nl/x-1043215-z>

Nette SuperMicro x10drl-ct / 2x xeon e5-2630 v3 / 128gb ddr4 ECC.

X10DRL-CT

Dual socket R3 (LGA 2011) supports Intel® Xeon® processor E5-2600 v4/ v3 family; UPI up to 9.6GT/s

Intel® C612 chipset

| | | | | | | | | | |
|--|---|---|---|--|---|---|---|---|---|
|  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |  <p>SuperMicro Server 2x xeon e5-2630 v3 128gb ddr4 ECC https://www.advertentieX.nl/x-1043215-z</p> |
|--|---|---|---|--|---|---|---|---|---|

Tot 1TB ECC 3DS RDIMM tot DDR4- 2400MHz ; 8x DIMM slots

1x PCI-E 3.0 x16, 2x PCI-E 3.0 x8

Intel® i210 Dual GbE LAN ports, Intel® X540 Dual 10GbE-T ports

Integrated IPMI 2.0 and KVM with Dedicated LAN

8x SAS3 (12Gbps) via Broadcom® 3108; HW RAID 0, 1, 5, 6, 10, 50, 60 SuperCap Option support

6 SATA3 (6Gbps) via C232; RAID 0, 1, 5, 10

4 USB 3.0 (2 rear, 2 via header)

3 USB 2.0 (2 via header, 1 Type A)

2x Intel® Xeon® Processor E5-2630 v3 (8 Cores, 16 Threads, Max 3.20 GHz)

128gb DDR4-ECC (Samsung M386A4G40DM0-CPB0Q)

Geen HDD/SSD's

1U