

Achterschokbreker Ducati TFX Suspension 141 (759 EUR)



Locatie **Zuid-Holland, Leiderdorp**
<https://www.advertentiax.nl/x-1132069-z>

- Gratis verzenden
- Hoge kwaliteit
- Op maat en naar specificatie geproduceerd
- Verstelbare schokbreker met extern reservoir
- Preload, Rebound en High Speed en Low Speed compressie instelbaar


Levertijd 2-3 werkdagen, de sets worden op bestelling geproduceerd en ondergaan uitgebreide kwaliteitscontrole voordat deze verstuurd worden.

The TFX 141 mono shock absorber has a remote fluid reservoir that is connected to the shocks body by a flexible hose.

It is mainly used for motorcycles with a limited space. The hose can be placed individually where there is enough space for example on the rear frame where air flow can provide additional cooling.

This shock absorber is for the rider who wants high performance, durability , control and refined tuning options. It doesn't matter if you use it for recreational, long distance or racing purpose, this shock has it all.

They have 5 year warranty for recreational use.

 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z	 Achterschokbreker TFX Suspension 141 https://www.advertentiax.nl/x-1132069-z
--	---	---	---	--	---	---	---	---	---

All TFX shock absorbers are custom made and build according your personal specifications. They are a mono shock absorber which has a remote fluid reservoir that is connected to the shock body by a flexible hose. The shock body is made from 6082-T6 aluminum and has a 16mm high-strength shaft. The shock has a low-friction seal with integrated Teflon back-riding rings. The shock has a preload spring and adjustable rebound damping. The shock has 40 clicks of adjustable high-speed and low-speed compression damping. The shock has a rider height adjuster. The shock is available in range of spring rates to match the rider weight requirements. The shock is available for the most models of Ducati, but not for the Ducati Monster 900. Contact us for more information. Call us at 0900 994 1999 or email us at info@advertentiax.nl.

Ducati 851 Strada 1991-1992
Ducati Monster 750 1994-1999
Ducati Monster 600 1994-1999
Ducati 888 Strada 1988-1990
Ducati 350 F 3 1985-1990
Ducati 600 TT 2 1981-1985
Ducati Monster 900 i.e. 2000-2001
Ducati Monster 600 1999-2001
Ducati Monster 620 i.e. / S / 2002-2007
Ducati Monster 750 i.e. 2002
Ducati Monster 900 i.e. 2001-2002
Ducati 749 / S 2003-2007
Ducati 750 F1 1985-1989
Ducati 750 Santa Monica 1987-1989
Ducati Monster S4R 1000 2004-2008
Ducati Monster S2R 800 2005-2007
Ducati Monster S2R 1000 2006-2009
Ducati Monster S4R 1000 2008-2016
Ducati 851 Strada 1988-1990
Ducati 900 SS Verlichhi - Mono 1975-1980
Ducati 999 /S /R 2003-2006
Ducati ST2 1997-2003
Ducati ST4 1998-2005
Ducati ST3 2004-2007
Ducati Streetfighter 848 2011-2016
Ducati Hypermotard 796 2010-2011
Ducati Monster 796 2010-2014
Ducati 888 SP 5 1993
Ducati Monster 1100 Evo 2011-2013
Ducati Monster S 4 2001-2003
Ducati Paso 906 1988-1992
Ducati Monster 1000 i.e / S 2003-2005
Ducati Multistrada 1200 2010-2016
Ducati Hypermotard 1100 2007-2009
Ducati Monster 696 2007-2016

Eenvoudig en snel te bestellen via onze webshop, GeGShop.

G&G Bike Nederland - GeGShop
+31(0)6-14801213

Wij zijn bereikbaar van maandag t/m vrijdag van 09:00 tot 22:00 uur en zaterdag en zondag van 10:00 tot 22:00 uur. Zij wij in gesprek of tijdelijk niet bereikbaar, spreek dan de voicemail in of stuur een e-mail, wij nemen zo spoedig mogelijk contact.