

Alpine X903D-DU2 - 9 inch Alpine Style Navigatie draaibaar (1.899 EUR)



Locatie **Gelderland, Elst**
<https://www.advertentiex.nl/x-1440795-z>

Alpine X903D-DU2
Draaibaar en geavanceerd 9 inch groot multimedia camper navigatiesysteem

Alpine X903D-DU2 belangrijkste info:
Power Output: 4 x 50 W High Power Amplifier
Display: 9?? Capacitive WVGA High Resolution Display
Apple Carplay
Android Auto
DAB+ tuner
3 jaar gratis nieuwste kaarten
Igo Primo icm TomTom navigatiekaarten
My Favourites Function
AUX-In: 1 A/V AUX Input (RCA)
Steering Wheel Remote Control Function
Remote Control Ready
Navigation Guidance Mix
Camera Connection & Built-in Controls for Multi-View Cameras
Camera Guide Line Adjustment
Menu Languages: 24 Languages (for AV / Bluetooth), 29 Languages (Navigation Menu and Voice Guidance)



Alpine X903D-DU2 - 9 inch
Alpine Style Navigatie
draaibaar



Alpine X903D-DU2 - 9 inch
Alpine Style Navigatie
draaibaar

<https://www.advertentiax.nl/x-1440-795-z>



Alpine X903D-DU2 - 9 inch
Alpine Style Navigatie
draaibaar



Alpine X903D-DU2 - 9 inch
Alpine Style Navigatie
draaibaar



[Tuner](#)
[Memory Pres](#)
[Seek Mode](#)
[RDS](#)



<https://www.advententirex.nl/x-1440>




	Alpine	Style	Navigatie
Alpine X903D-DU2 - 9 inch			
Alpine X903D-DU2 - 7 inch			
Alpine X903D-DU2 - 8 inch			
Alpine X903D-DU2 - 6 inch			
Alpine X903D-DU2 - 5 inch			
Alpine X903D-DU2 - 4 inch			
Alpine X903D-DU2 - 3 inch			
Alpine X903D-DU2 - 2 inch			
Alpine X903D-DU2 - 1 inch			
Alpine X903D-DU2 - 0 inch			
Alpine X903D-DU2 - 0.5 inch			
Alpine X903D-DU2 - 0.25 inch			
Alpine X903D-DU2 - 0.125 inch			
Alpine X903D-DU2 - 0.0625 inch			
Alpine X903D-DU2 - 0.03125 inch			
Alpine X903D-DU2 - 0.015625 inch			
Alpine X903D-DU2 - 0.0078125 inch			
Alpine X903D-DU2 - 0.00390625 inch			
Alpine X903D-DU2 - 0.001953125 inch			
Alpine X903D-DU2 - 0.0009765625 inch			
Alpine X903D-DU2 - 0.00048828125 inch			
Alpine X903D-DU2 - 0.000244140625 inch			
Alpine X903D-DU2 - 0.0001220703125 inch			
Alpine X903D-DU2 - 0.00006103515625 inch			
Alpine X903D-DU2 - 0.000030517578125 inch			
Alpine X903D-DU2 - 0.0000152587890625 inch			
Alpine X903D-DU2 - 0.00000762939453125 inch			
Alpine X903D-DU2 - 0.000003814697265625 inch			
Alpine X903D-DU2 - 0.0000019073486328125 inch			
Alpine X903D-DU2 - 0.00000095367431640625 inch			
Alpine X903D-DU2 - 0.000000476837158203125 inch			
Alpine X903D-DU2 - 0.0000002384185791015625 inch			
Alpine X903D-DU2 - 0.00000011920928955078125 inch			
Alpine X903D-DU2 - 0.000000059604644775390625 inch			
Alpine X903D-DU2 - 0.0000000298023223876953125 inch			
Alpine X903D-DU2 - 0.00000001490116119384765625 inch			
Alpine X903D-DU2 - 0.000000007450580596923828125 inch			
Alpine X903D-DU2 - 0.0000000037252902984619140625 inch			
Alpine X903D-DU2 - 0.00000000186264514923095703125 inch			
Alpine X903D-DU2 - 0.000000000931322574615478515625 inch			
Alpine X903D-DU2 - 0.0000000004656612873077392578125 inch			
Alpine X903D-DU2 - 0.00000000023283064365386962890625 inch			
Alpine X903D-DU2 - 0.000000000116415321826934814453125 inch			
Alpine X903D-DU2 - 0.0000000000582076609134674072265625 inch			
Alpine X903D-DU2 - 0.00000000002910383045673370361328125 inch			
Alpine X903D-DU2 - 0.000000000014551915228366851806640625 inch			
Alpine X903D-DU2 - 0.0000000000072759576141834259033203125 inch			
Alpine X903D-DU2 - 0.00000000000363797880709171295166015625 inch			
Alpine X903D-DU2 - 0.000000000001818989403545856475830078125 inch			
Alpine X903D-DU2 - 0.0000000000009094947017729282379150390625 inch			
Alpine X903D-DU2 - 0.00000000000045474735088646411895751953125 inch			
Alpine X903D-DU2 - 0.000000000000227373675443232059478759765625 inch			
Alpine X903D-DU2 - 0.0000000000001136868377216160297393798828125 inch			
Alpine X903D-DU2 - 0.00000000000005684341886080801486968994140625 inch			
Alpine X903D-DU2 - 0.000000000000028421709430404007434844970703125 inch			
Alpine X903D-DU2 - 0.0000000000000142108547152020037174224853515625 inch			
Alpine X903D-DU2 - 0.00000000000000710542735760100185871124267578125 inch			
Alpine X903D-DU2 - 0.000000000000003552713678800500929355621337890625 inch			
Alpine X903D-DU2 - 0.0000000000000017763568394002504646778106689453125 inch			
Alpine X903D-DU2 - 0.00000000000000088817841970012523233890533447265625 inch			
Alpine X903D-DU2 - 0.000000000000000444089209850062616169452667236328125 inch			
Alpine X903D-DU2 - 0.0000000000000002220446049250313080847263336181640625 inch			
Alpine X903D-DU2 - 0.00000000000000011102230246251565404236316680908203125 inch			
Alpine X903D-DU2 - 0.000000000000000055511151231257827021181583404541015625 inch			
Alpine X903D-DU2 - 0.0000000000000000277555756156289135105907917022705078125 inch			
Alpine X903D-DU2 - 0.0000000000000000138777878078144			



<https://www.advertentienx.nl/x-1440755-2>



<https://www.advertentiax.nl/x-1440795-z>



Alpine Style Navigatie
draaibaar
<https://www.advertentietex.nl/x-1440-795-z>

RDS Functions: PI, PS, AF, TA, TP, PTY, NEWS, RADIO TEXT

DAB Tuner
DAB+ Tuner Built-in
DAB+/DMB Supported
DAB+ Slideshow Service
DAB Service Following
RDS Fallback (where available)
Service Preset: 18 Preset Memory

BLUETOOTH

Built-in BLUETOOTH® Module
HFP (Hands-Free Profile) Compatible
Streaming Music: A2DP (Advanced Audio Distribution Profile) Compatible
Streaming Music Control: AVRCP (Audio / Video Remote Control Profile) Ver.1.5 Compatible
Advanced BLUETOOTH® Technology
Connection: SSP (Simple Secure Pairing) Supported
Menu Language Selection: 24 Languages
Microphone integrated

Navigation

Map Coverage: 48 Countries (Western and Eastern Europe)
Menu Language: 29 Languages
Voice Guidance Language: 29 Languages for Voice Guidance, 15 Languages for Text-to-Speech (TTS)
Advanced Address Search
Post Code Search
Advanced POI Functions
7 Alternative Route Recommendation
Advanced TMC Mode
3D maps with elevation mode
3D Motorway Junction View
Text-to-Speech
3 Positioning Sensors: GPS, Gyroscope, Vehicle Speed Pulse

USB Media Connection

USB Connection
Music and Video Playback: FLAC/ MP3/ WMA/ AAC/ AVI/ MP4/ MKV

Sound Tuning

Bass Engine™ Pro

Subwoofer Level Adjustment
2V PreOuts
Equalizer: 10 selections
9-Band Parametric Equalizer
6 Channel Digital Time Correction
Digital Crossover Setting

Map & Database
Online Map Update via naviextras
Featuring TomTom Maps
3 Years free of charge map update (multiple updates possible)

Installation
Includes installation brackets, wiring harness and SWRC interface for complete installation.

SPECIFICATIONS

Screen

Screen Size: 9 inch Capacitive WVGA with swivel function (left / right)
LCD Type: Transparent Type TN LCD
Number of Picture Elements: 1,152,000 pixels (800 x 3 x 480)
Max Power Output Ratings
Max Power Output: 4 x 50 W
FM Tuner Tuning Range: 87.5 - 108.0 MHz
Alternate Channel Selectivity: 80 dB
Signal-to-Noise Ratio: 65 dB
MW Tuner Tuning Range: 531 - 1,602 kHz
LW Tuner Tuning Range: 153 - 281 kHz

USB

USB Requirements: USB 2.0
Max. Power Consumption: 1,500 mA (CDP Support)
USB Class: Mass Storage Class, Play From Device
File System: FAT 16/32
MP3 Decoding: MPEG-1/2 AUDIO Layer-3
WMA Decoding: Windows Media™ Audio
AAC Decoding: ACC-LC format ??m4a?? file
Flac Decoding
USB Video playback (AVI/MP4/MKV file with H.264 Video and MP3/AAC Audio)
Number of Channels: 2-Channel (Stereo)

BLUETOOTH®

BLUETOOTH® Version: Bluetooth V3.0+EDR

Output Power: +4 dBm Max. (Power class 2)

HFP: HFP (Hands Free Profile)

PBAP (Phone Book Access Profile)

HSP (Head Set Profile)

A2DP: A2DP (Advanced Audio Distribution Profile)

HDMI Section

Input Format 720p/480p/VGA

Output Format 480p

General

Power Requirement: 14.4 V. DC (11-16V allowable)

Pre Output Voltage (Before Clipping): 2 V / 10k ohms

Maximum Mounting Angle: 30°

Dimensions

X903D-DU2: Fits for Fiat Ducato III (250), CITROËN Jumper II (250) and Peugeot Boxer II (250)

Chassis Size (W x H x D) mm: 178 x 50 x 164 mm

The Caravan and Camper Software considers following restrictions and limitations by calculating the route and also gives warnings whilst driving without calculated route in 40 countries*:

General through traffic restrictions for trucks (i.e. environmental zones)

Through traffic restrictions for all categories of dangerous goods
(i.e. explosives, flammables)

Turn and U-Turn restrictions for trucks

Restrictions for trailers

Limitations of length

Limitations of width

Limitations of height

Limitations of weight

Height and width limitations of tunnels and bridge pass throughs

Maximum allowed weight of bridges

Andorra, Austria, Belgium, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Gibraltar, Greece, Hungary, Iceland, Ireland, Italy, Kazakhstan, Kosovo, Latvia, Liechtenstein, Lithuania, Luxembourg, Monaco, Netherlands, Norway, Poland, Portugal, Romania, Russia, San Marino, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, United Kingdom

Compatible Cars Maker Model - Model year

Fiat Ducato III (250) 06/2006 ?

Fiat Ducato III Facelift (250) 2011 - 2014
Fiat Ducato III (290) 2014 ?
Citroën Jumper II (250) 06/2006 ?
Peugeot Boxer II (250) 2011 – 2016

For cars with a 1 DIN radio or radio preparation.
Cable Harness with ISO / Mini-ISO connector necessary.

Wij hebben een showroom met werkplaats in Elst.
ook kunt u bestellen in onze webshop

All Car Products
Industrieweg oost 5B-3
6662 NE ELST
(industrieterrein de AAM)
Elst Gelderland knooppunt Arnhem-Nijmegen

GRATIS verzending in NL vanaf 100 euro

Gespecialiseerd in Car-audio
Ophalen en Verzending mogelijk. (wereldwijd)

Inbouw mogelijk (op afspraak).
Ideal en Paypal geaccepteerd.

Verkoop van alle A-merken!

Openingstijden:
Ma: 13:00 tot 18:00
Di: 10:00 tot 18:00
Wo: 10:00 tot 18:00
Do: 10:00 tot 13:00
Vr: 10:00 tot 18:00
Za: 10:00 tot 17:00
Zo: op afspraak

OPHALEN KAN OOK BUITEN OPENINGSTIJDEN OP AFSPRAAK.
Gewoon even bellen en informeren.
Elke dag mogelijk tot 22:00 (mits wij tijd hebben).
Gelieve geen whatsapp te gebruiken!

Bekijk al onze!