

HP Procurve Switch 2510-48G (149 EUR)



Locatie **Friesland, Drachten**
<https://www.advertentiex.nl/x-1470782-z>

HP Procurve Switch 2510-48G.

Product information

Data transmission: Jumbo frames support: YMAC address table: 8000 entriesMaximum data transfer rate: 1 Gbit/sPacket buffer memory: 1.5 MBSupported data transfer rates: 10/100/1000 MbpsSwitching capacity: 96 Gbit/sThroughput: 71.4 MppsDesign: Electromagnetic compatibility: FCC Class A; VCCI Class A; EN55022/CISPR-22 Class A; IEC/EN 61000-3-2; IEC/EN 61000-3-3Form factor: 1UProduct colour: BlackRack mounting: YSafety: cUL (CSA 22.2 No. 60950); EN 60950/IEC 60950; NOM-019-SCFI-1994; UL 60950Stackable: YManagement features: Quality of Service (QoS) support: YSwitch layer: L2Switch type: ManagedOther features: Connectivity technology: WiredDimensions (WxDxH): 442 x 322.6 x 43.2 mmElectromagnetic immunity: EN 55024, CISPR 24; IEC 61000-4-2; IEC 61000-4-3; IEC 61000-4-4; IEC 61000-4-5; IEC 61000-4-6; IEC 61000-4-8; IEC 61000-4-11; EN 61000-3-2, IEC 61000-3-2; EN 61000-3-3, IEC 61000-3-3I/O ports: 44 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T); Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only; Media type: Auto-MDIX; 1 RJ-45 serial console port; 4 dual-personality ports - each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)Input frequency: 50 / 60 HzInput voltage: 100-127 /

200-240 VAC VLatency; Management platform: ProCurve Manager Plus; ProCurve Manager; command-line interface; Web management tool-of-choice; Management (switching) LAN access; Accessible via USB flash drive; DRAM; Buffer size; Operating system (operational); Power supply requirements; I/O ports; Ethernet port; Ethernet switch; Ethernet network (PoE); Network protocols; Management protocols; SNMP 1, RMON 1, RMON 2, RMON 3, RMON 9, SNMP 3, SNMP 2; HTTP, LTPSupported network protocols: General Protocols: IEEE 802.1p Priority; IEEE 802.1Q VLANs; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol (LACP); IEEE 802.x Flow Control; IP Multicast: RFC 1213 MIB II; MIBs: RFC 1213 MIB II; RF 193 Bridge MIB; RFC 1573 SNMP MIB II; Network Management: IEEE 802.1AB Link Layer Discovery Protocol (LLDP); SNMPv1/v2c/v3; Security: IEEE 802.1X Port Based Network Access Control; RFC 1492 TACACS+; RFC 2138 RADIUS Authentication; Secure Sockets Layer (SSL); SSHv1/SSHv2 Secure

HP Procurve




HP	Procure	Switch
2510-48G		




HP Procure Switch
2510-48G

<https://www.advertentiax.nl/x-1470782-z>



HP Procure Switch
2510-48G

<https://www.advententex.nl/x-1470782-z>



HP Procure Switch
2510-48G
<https://www.advertentiax.nl/x-1470>
782-z



SNMP 3, IEEE 802.10, Protocol 1493 Bridge Protocol (LLC), TACACS+,



2138 HTTP, LI
AN, IEEE 802
; IEEE 802.3x F
; REC 1573 SN
; SNMPv1/v2c
2138 RADIUS



Multiple Spanning Tree Control; IP: Multicast; MPLS; II; Network Security: IEEE 802.11; Authentication; Software



Internet: General
Trees; IEEE 802.
Cast: RFC 1263
Management: IE
2.1X Port Based
e Sockets Layer



https://www.adaptive-networks.com/2016/04/28/2016-04-28-1104438



1p Priority;
on Control
13 MII II; RF
er Discovery
ontrol; REC 1492
2 Secure

Productstaat van de HP Procurve Switch 2510-48G

Het apparaat ziet er goed uit.

We checken de hardware bij uitlevering zodat u verzekerd bent van een goed werkend apparaat. Alle producten die wij uitleveren hebben 1 jaar garantie.

Huidige voorraad: 1 Stuk(s)

Naast de normale betaalmethoden zoals I-Deal hebben wij ook een nieuwe betaalmethode bij Hardware Kings. In 3 keer betalen met 0% rente

Betaal je je aankoop liever niet in één keer? Maak dan gebruik van in3: de enige gespreid betaalmethode met 0% rente. In drie keer betaal je het aankoopbedrag zonder extra kosten. Zo koop je binnen je budget je favoriete product. Het minimale bestelbedrag is € 100,- en het maximale bestelbedrag is € 3.000,-.

Hieronder een overzicht met de in3 betaalmethode voor het product dat je nu bekijkt:

1. Betaal nu: 49.67
2. Betaal over 30 dagen: 49.67
3. Betaal over 60 dagen: 49.67

Je kunt betalen op onze webwinkel met Creditcard, PayPal, Apple Pay, Google Pay, Bancontact en iDeal. Tevens kan je achteraf betalen met Klarna (14 dagen) of In 3 termijnen betalen met 0% rente. Kies de betaalwijze die voor jou het gemakkelijkst is!

Voordelen van Hardware Kings

- In 3 termijnen betalen | 0% rente, zonder BKR
- Deskundig en ervaren personeel met de beste service
- 14 Dagen Bedenktermijn
- Niet goed = Geld terug
- Minimaal 1 jaar garantie
- Uitsluitend A Merk refurbished hardware

-
- Op werkdagen voor 16:00 besteld is dezelfde dag verzonden!
 - Levering uit eigen voorraad
 - Veilig betalen! met SSL verbinding
 - Aantrekkelijke aanbiedingen
 - Groot assortiment
 - Ruime Openingstijden

Gratis verzending in Nederland & België vanaf € 50,-Websitehardwarekings.nl/products/hp-procurve-switch-2510