

Fortigate 100E (750 EUR)



Locatie **Zuid-Holland, Hook of Holland**
<https://www.advertentieX.nl/x-1486055-z>



Fortigate is gebruikt als thuis lab omgeving voor Fortinet NSE traject.

Fortigate bevat geen licentie.
 OS level : FortiOS 7.2.4

Perfect te gebruiken als standby unit of als spare inzet.

Hieronder de specs van de 100E en 100F afkomstig van de website van Fortinet.

SPECIFICATIONS

Note: All performance values are “up to” and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.
2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
4. NGFW performance is measured with Firewall, IPS and Application Control enabled.
5. Threat Protection performance is measured with Firewall, IPS, Application Control and

https://www.advertentieX.nl/x-1486055-z							
Fortigate							
100E							
Fortigate 100E (750 EUR)							
Malware Protection enabled							
Fortigate 100E (750 EUR)							
Processor Specifications							
Processor — Intel Celeron J3160							
Cores — 2							
Processor Speed — 1.6 GHz							
Memory							
RAM — 4 GB DDR3 SDRAM							
Ports							
WAN Ports — 2							
RJ45 WAN Ports — 2							
RJ45 or SFP GE Ports — 2							
GE SFP Slots — 8							
Management Port — 1							
RJ45 Management Port — 1							
USB Port 1 1							
Console Port 1 1							
Internal Storage							
Included Transceivers — 0							



<https://www.advertentieX.nl/x-1486055-z>



<https://www.advertentieX.nl/x-1486055-z>



<https://www.advertentieX.nl/x-1486055-z>



<https://www.advertentieX.nl/x-1486055-z>



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E



Fortigate 100E

System Performance — Enterprise Traffic Mix
IPS Throughput 2 500 Mbps
NGFW Throughput 2, 4 360 Mbps
Threat Protection Throughput 2, 5 250 Mbps
System Performance
Firewall Throughput (1518 / 512 / 64 byte UDP packets) 7.4 / 7.4 / 4.4 Gbps
Firewall Latency (64 byte UDP packets) 3 ?s
Firewall Throughput (Packets Per Second) 6.6 Mpps
Concurrent Sessions (TCP) 2 Million
New Sessions/Second (TCP) 30,000
Firewall Policies 10,000
IPsec VPN Throughput (512 byte) 1 4 Gbps
Gateway-to-Gateway IPsec VPN Tunnels 2,000
Client-to-Gateway IPsec VPN Tunnels 10,000
SSL-VPN Throughput 250 Mbps
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) 500
SSL Inspection Throughput (IPS, avg. HTTPS) 3 130 Mbps
SSL Inspection CPS (IPS, avg. HTTPS) 3 130
SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 125,000
Application Control Throughput (HTTP 64K) 2 1 Gbps
CAPWAP Throughput (1444 byte, UDP) 1.5 Gbps
Virtual Domains (Default / Maximum) 10 / 10
Maximum Number of FortiSwitches Supported 32
Maximum Number of FortiAPs (Total / Tunnel Mode) 64 / 32
Maximum Number of FortiTokens 5,000
High Availability Configurations Active / Active, Active / Passive, Clustering
Dimensions and Power
Height x Width x Length (inches) 1.75 x 17 x 10 1.75 x 17 x 10
Height x Width x Length (mm) 44.45 x 432 x 254 44.45 x 432 x 254
Form Factor (supports EIA / non-EIA standards) Rack Mount, 1 RU Rack Mount, 1 RU
Weight 7.28 lbs (3.3 kg) 7.28 lbs (3.3 kg)
Power Input 100–240V AC, 50–60 Hz
Maximum Current 100V / 0.52A, 240V / 0.22A 100V / 0.52A, 240V / 0.22A
Power Consumption (Average / Maximum) 23.0 W / 28.6 W; 51.9 VA 24.4 W / 28.6 W; 51.9 VA
Heat Dissipation 97.6 BTU/h 97.6 BTU/h

Verzend kosten zijn voor koper. Zie kosten index