



Zebra Et51C tablet ET51CT-G21E-00A6 Windows i0t (749 EUR)



Locatie **Gelderland, Lengel**
<https://www.advertentieux.nl/x-1619836-z>

Gratis NL verzending! 1 jaar garantie.
Bestel met een gerust gevoel. 14 dagen testen, niet goed, geld terug. (geldt alleen voor consumenten bij opsturen).


Dimensions
 8.4 in. tablet: 9 in. W x 5.9 in. H x 0.5 in. D/
 228 mm W x 150 mm H x 12.7 mm D
 10.1 in. tablet: 10.6 in. W x 7.1 in. H x 0.5 in. D/
 269 mm W x 181 mm H x 12.7 mm D
 Weight 8.4 in.: 1.26 lbs./570 g; 10.1 in.: 1.69 lbs./765 g
 Display 8.4 in.: 21.3 cm; 720 nits
 10.1 in.: 25.7 cm; 540 nits
 Supports up to 2560x1600;
 Corning Gorilla Glass; daylight viewable
 Touch Panel Capacitive 10 point multi-touch
 Keyboard Options Virtual; Bluetooth®; USB
 Expansion Integrated connector to easily add accessories
 Connectivity Docking connector (charge and data)
 Rugged connector for use with rugged doc (charge and data)
 USB-C port (data or charging)

Notification LED flash, barcode decode, camera LED indicator Audio speaker, speaker, front-facing, microphones Performance Characteristics Core: 4x ARM A390 @ 1.6 GHz, 1x ARM A53 @ 1.6 GHz, 1x ARM A53 @ 1.6 GHz Operating System Windows 10 IoT Enterprise					    	    
--	--	--	--	--	--	---

Memory 4GB LPDDR4 RAM 64GB eMMC Flash 7. User accessible micro SDXC card slot (standard supports up to 2TB) Zebra ET51C tab1 G11E-00A6 Wi https://www.adverten	Memory 4GB LPDDR4 RAM 64GB eMMC Flash 7. User accessible micro SDXC card slot (standard supports up to 2TB) Zebra ET51C tab1 G11E-00A6 Wi https://www.adverten	Memory 4GB LPDDR4 RAM 64GB eMMC Flash 7. User accessible micro SDXC card slot (standard supports up to 2TB) Zebra ET51C tab1 G11E-00A6 Wi https://www.adverten	Memory 4GB LPDDR4 RAM 64GB eMMC Flash 7. User accessible micro SDXC card slot (standard supports up to 2TB) Zebra ET51C tab1 G11E-00A6 Wi https://www.adverten	Memory 4GB LPDDR4 RAM 64GB eMMC Flash 7. User accessible micro SDXC card slot (standard supports up to 2TB) Zebra ET51C tab1 G11E-00A6 Wi https://www.adverten
---	---	---	---	---



Zebra Et51C tablet ET51CT-
G21E-00A6 Windows iot



Zebra Et51C tablet ET51CT-
G21E-00A6 Windows iot



Zebra Et51C tablet ET51CT-
G21E-00A6 Windows iot



Zebra Et51C tablet ET51CT-
G21E-00A6 Windows iot



Zebra ET51CT-
ET51CT-00A5
Windows IoT



zebra Et51C Tablet Et51CT-
G11E-00A6 Windows IoT
22° F
M: 64



Zebra Et51C tablet ET51CT-
G21E-00A6 Windows IoT



Device	OS	App
Zebra Et51C	Android	ET51C1-1.0.0
G21E-00A6	Windows	iot



Zeبرا Et51C tablet ET51CT-
G21E-00A6 Windows iot



Zebra ET51C tablet E151C1-
G21E-00A6 Windows iot

Drop Specification Standard: 3.28 ft./1 m to concrete
per MIL-STD-810G
With optional rugged frame: 5.9 ft./1.8 m
to concrete per MIL-STD-810G
Sealing IP65
Vibration Random: 0.02²/Hz, 20Hz to 2kHz 4g RMS 1 hour per axis
Humidity 5% to 95% non-condensing

Power

Battery User Profile Ample power for a full shift; continuous operation is enabled with the secondary optional battery
Battery 8.4 in.: 3300 mAh 7.6V rechargeable Li-Ion; user replaceable (25 Whr)
10.1 in.: 4950 mAh 7.7V rechargeable Li-Ion; user replaceable (38 Whr)
Optional hot swappable 7.2V @ 3400mAh (24.4Whr) secondary battery (equivalent to 3.6V @ 6800mAh)
USB-C charging: Supports USB-PD (Power Delivery) charging on USB-C connector up to 18W (9V and 12V modes) via Zebra's power supply (PWRWUA5V12W0) and cable (CBLTC2XUSBC-01)

Data Capture

Scanning Available through the expansion back accessory: SE4750 or SE4710 integrated advanced imagers with hardware decoding
Rear Camera Image capture: 8MP auto-focus camera with user controllable LED flash, illumination and aiming; photographs, video, signatures and documents
Front Camera 2MP 1080p full HD optimized for video collaboration and low lighting conditions
Video 1080p (Full HD, 1920 x 1080), Frame rate = 30fps

Wireless Communications

WiFi (WLAN)

802.11 a/b/g/n/ac/r/k/v; dual band 2x2 MIMO for transmit and receive
Cellular (WWAN) (ET56 only)

Global LTE

North America: AT&T LTE

Verizon LTE

Bluetooth (WPAN) Class 1, Bluetooth v4.2 (Bluetooth LE)

GPS GNSS supports GPS, Galileo and Glonass with LTO technology for Assisted-GPS without sacrificing autonomous operation

NFC P2P: ISO 18092; Reader/Writer: ISO 14443 –A-B, MIFARE, FeliCa®, ISO 15693, NFC Forum Tag Types 1 to 4; Card emulation: ISO 14443 –A-B-B', MIFARE, FeliCa RF

Sensors

Gyroscope

Maintains orientation based on principles of conservation of angular momentum

Motion Sensor 3-axis accelerometer that enables motion sensing applications for dynamic screen orientation and power management

Ambient Light Sensor Automatically adjusts display brightness, keypad and display backlight

Electronic Compass Independent — does not depend on GNSS

Peripherals and Accessories

Accessories include: ShareCradles (4-slot); docking stations; vehicle mount cradle (third party); single slot charge cradle; 4-slot optional battery charger; rugged frames; expansion back to easily add accessories (scanner/hand strap and optional battery bay or hand strap); passive stylus; holster; shoulder strap; charging cables and more

Uit eigen voorraad leverbaar, dus niet uit "centraal magazijn" o.i.d!

Alle artikelen worden geleverd met een digitale factuur. Indien geen "gratis verzending" vermeld staat, kunnen wij de artikelen tegen meerprijs verzenden, ook naar buitenland. Voor evt. installatie kunt u gebruik maken van onze eigen technische dienst.

U kunt in principe op alle artikelen bieden. Voor de meeste artikelen zijn wij al de goedkoopste van NL en is de onderhandelingsruimte gering. Bel ons even als u wil onderhandelen over de prijzen of aantallen. Wij gaan alleen in op serieuze biedingen, onzin biedingen worden zonder opgave van reden verwijderd. Hoe te bestellen?

Klik rechts in de advertentie op "stuur een bericht".

Vermeld daar in dat u het product graag wil kopen en of u het wenst af te halen of bezorgd wil hebben. Mail ook uw eigen e-mailadres voor het ontvangen van uw factuur. Facturen verstuurd via uw account van Marktplaats komen vaak niet door.

Vermeld ook uw:

Naam

Bezorgadres

Postcode woonplaats

E-mailadres

Telefoonnummer

Na ontvangst sturen wij u de digitale factuur met ons bankrekeningnummer. Zodra de betaling binnen is, versturen wij uw goederen.

Andos Computers Montferland

's-Heerenbergseweg 5

7044 AV LENGEL

(Gelderland)

Tel. 0314-36 99 55

Al meer dan 37 jaar thuis in techniek!

(alle prijzen onder voorbehoud van zet/druk/typefouten)

Prijs is excl. btw, gratis.