

PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw (45 EUR)



Locatie **Flevoland, Almere**
<https://www.advertentieX.nl/x-1669563-z>




Cisco/Linksys SRW224P 24-port 10/100 + 2-port Gigabit Managed Switch - WebView/PoE

Power over Ethernet switch

General
 Subtype
 Fast Ethernet
 Ports
 24 x 10/100 + 2 x combo Gigabit SFP
 Power Over Ethernet (PoE)
 PoE
 Authentication Method
 RADIUS
 MAC Address Table Size
 8K entries
 Authentication Method
 RADIUS
 Power Over Ethernet (PoE)
 PoE
 Status Indicators

Port status, port transmission speed, system, link/activity

 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z	 PoE CiscoLinksys SRW224P 24x 10100 2x Gigabit Managed Sw https://www.advertentieX.nl/x-1669563-z
---	--	--	--	---	--	--	--	--	--

Switch dient een factory reset te krijgen via de console poort. Instructies zijn te vinden online.
 Power Device
 Type
 internal power supply

Networking
Cabling Type
Ethernet 100Base-TX, Ethernet 10Base-T
MAC Address Table Size
8K entries
Subcategory
network hubs and switches
Subtype
Fast Ethernet
Form Factor
rack-mountable
Type
Switch
Connectivity Technology
wired
Features
BOOTP support, Broadcast Storm Control, DHCP support, DiffServ support, IGMP snooping, MAC address filtering, MDI/MDI-X switch, STP support, VLAN support, auto-negotiation, auto-sensing per device, auto-uplink (auto MDI/MDI-X), firmware upgradable, flow control, trunking
Compliant Standards
IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ad (LACP), IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
Ports Qty
24
Manageable
Yes
Switching Protocol
Ethernet
Remote Management Protocol
HTTP, HTTPS, RMON 1, RMON 2, RMON 3, RMON 9, SNMP 1, SNMP 2c
Power Over Ethernet (PoE)
PoE

Miscellaneous
Rack Mounting Kit
included
Encryption Algorithm
MD5, SSL
Height (Rack Units)
1 m

Interface Provided

Connector Type

SFP (mini-GBIC)

Comments

management

Environmental Parameters

Min Operating Temperature

32 °F

Max Operating Temperature

122 °F

Humidity Range Operating

10 - 90%

Header

Brand

Linksys

Product Line

Linksys

Model

24-port 10/100 + 2-Port Gigabit Switch with WebView SRW224P

Packaged Quantity

1

Compatibility

Mac, PC

Dimensions & Weight

Width

16.9 in

Depth

13.8 in

Height

1.8 in

Weight

9.04 lbs

Ports

Type

10/100

Qty
24

Ports (2nd)
Type
combo Gigabit SFP
Qty
2

Verzenden mogelijk. Verzendkosten en risico voor koper.
Nog maar 1 exemplaar beschikbaar. Bieden per.