

Spec Lin AC adapter S60-190316 WH01 WZ 19V 3.16A 60W 65W LCD (14 EUR)



Locatie **Gelderland, Apeldoorn**
<https://www.advertentiex.nl/x-182983-z>

Spec Lin Enterprise S60-190316-WH01 / WZ 19Volt 3.16A 316 mA 40W ~65W

-Prijis € 15,95 + € 4,95 verzendbijdrage DHL track & trace

-Switching Power Supply met 40 Watt ~ 60 Watt max. vermogen

-Universele replacement adapters for o.a. Gateway 200ARC Notebook, Laptop, Netbooks, TV etc.

-Universele replacement adapter voor LCD Monitoren, Printers, Label Printers Externe HDD, Thin Clients (19V)

-Voorzien van vele keurmerken gericht op veiligheid en rendement

-3 maanden niet goed geld terug garantie

Omschrijving

Deze OEM Replacement adapter van SPEC LIN is een universele adapter geschikt voor bepaalde

 notebooks, computer systemen TV/Display, monitoren systemen, (Label) Printers en Externe hardeschijven / HDD's. Het betreft alleen een deel van de reeds aangegeven lijst op file. Het is efficiënter om de beschikbaarheid te adapter is. Standaard invoering van de afkelt a. Om de beschikbaarheid van 40W tot 60W met een maximum current van 2.0A met max. 1.8m. De adapter heeft een snijlijn van 1.8m en een lengte van 1.8m en heeft een 2 polig met EU plug van ongeveer 0.5 m				
---	--	--	--	--



Spec Lin AC adapter
S60-190316 WH01 WZ 19V
3.16A 60W 65W LCD



Spec Lin AC adapter
S60-190316 WH01 WZ 19V
3.16A 60W 65W LCD



Spec Lin AC adapter
S60-190316 WH01 WZ 19V
3.16A 60W 65W LCD



Spec	Lin	AC	adapter
S60-190316	WH01	WZ	19V
3.16A	60W	65W	LCD

<https://www.advertentiaex.nl/x-1829>
83-z



Specifications

Speed	Lin	AC	adapter
S60-19	816	W01	WZ 19V
3.16A	60W	65W	LCD

83-z

<https://www.advertintellx.nl/x-1829>



Spec Lin PAC adapter
S60-190316 WPD1 WZ 19VW
3.16A 60W 65W LCD



Spec Lin AC adapter
S60-190316 WH01 WZ 19V
3.16A 60W 65W LCD
<https://www.advertentiax.nl/x-1829>
83-z



Sec Lin AC auqper
S60-190316 WH01 WZ 19V
3.16A 60W 65W LCD



<https://www.advertentiaex.nl/x-1829>
83-z



S60-190316 WHO1 WZ 19V
3.16A 60W 65W LCD

Specifications

- Spare Part MODEL S60-190316-WH0

-
- Input Voltage: AC 100-240V 2.0A 50~60Hz
 - Output :DC 19 Volt 3.16A 3160 mA
 - DC Plus 2 Polige Connector with EU Plug
 - LET OP! Connector Plug
 - Interne diameter 3.0 mm
 - Externe diameter 5.5 mm
 - Round/ Ronde Barrel Plug No Center Pin
 - Lengte connector 12 mm
 - Maximale output 40W ~ 60W~65Watt
 - Controle / Status Led aanwezig
 - Afmetingen lxbxh: 110 mm x 48 mm x 342mm
 - Gewicht 300 gram

Features

- High Efficiency
- High Reliability
- Good Output Regulation
- Over Voltage Protection
- Short Circuit Protection
- Over Temperature Protection

-Over Current Protection

-Original SPEC LIN/ ITE Power Adapter

-Universal AC Input -Verbruik 0.12Wh

-Efficiency: Gekeurd op hoog rendement

-TüV RT, ITE Power Supply, US Listed UL LTE Listed / TüV Rheinland Sicherheit Geprüft, Safety Mark
Safety standards UL 1950 listed CSA 22.2 No.950 EN60950 IEC 950

-Over voltage protection -Overload protection -Short CKT protection -Over temperature Protection

-Operating temperature 0 to 40° C

-Storage temperature 20 to 80°C

-Operating humidity 20 to 80% RH

-Storage humidity 10 to 90% RH

-Operating altitude 3 000 m maximum

-Storage altitude 9 000 m maximum

Bron / source Spec Lin

Tel: 0555414197