

HP Z8-G4 Workstation GOLD 6144 64GB-RAM P2000 W10Pro (1.795 EUR)



Locatie **Overijssel, Raalte**
<https://www.advertentiex.nl/x-1869435-z>

HP Z8 G4 Workstation met:

Intel Xeon Gold 20-Core 6144 2.4-3.7GHz met HT 40 Threads
64GB RAM
512GB NVMe voor OS - 6x sneller dan SSD!
2 x 3.84TB NVMe SSD voor DATA - 6x sneller dan SSD!
nVidia Quadro P2000 5GB 5K 4x DP
Windows 10 Pro NL
Renew met Garantie 3 jaar

Van P2000 naar:

Van P2000 naar P4000 > € 69,00
 Van P2000 naar RTX A2000 > € 149,00
 Van P2000 naar 2 x P4000 > € 415,00
 Van P2000 naar RTX A4000 > € 590,00
 Van P2000 naar RTX A5000 > € 1399,00
 Van P2000 naar 2 x RTX A4000 > € 1449,00

Extra NVMe voor Snelle DATA:



HP Z8-G4 Workstation GOLD
6144 64GB-RAM P2000
W10Pro

<https://www.advertentiax.nl/x-1869435-z>




HP Z8-G4 Workstation GOLD
6144 64GB-RAM P2000
W10Pro



HP Z8-G4 Workstation GOLD
6144 64GB-RAM P2000
W10Pro




HP Z8-G4 Workstation GOLD
6144 64GB-RAM P2000
W10Pro



Specifications:
Supports DDR
64GB DDR4



512GB RAM	AP Z8-G4 Workstation GOLD
6444	64GB RAM P2000
V10Pro	



6 Months data par



HP Z8-G4 Workstation GOLD
6144 64GB-RAM P20000
W10Pro



HP Z8-G4 Workstation GOLD
6144 64GB-RAM P20000
W10Pro



HP Z8-G4 Workstation GOLD
6144 64GB-RAM P2000
W10Pro

24 slots (12 slots per CPU)
85 W
Supports Intel vPro technology
Intel® C622 Chipset
Slot 1: PCIe Gen3 x4 - Transforms to PCIe Gen3 x8 when 2nd CPU is installed
Slot 2: PCIe Gen3 x16
Slot 3: PCIe Gen3 x16 - Available ONLY when 2nd processor is installed
Slot 4: PCIe Gen3 x16
Slot 5: PCIe Gen3 x4
Slot 6: PCIe Gen3 x16 - Available ONLY when 2nd processor is installed
Slot 7: PCIe Gen3 x4
4 internal 3.5" bays (All 4 include acoustic dampening rail assemblies)
2 external 5.25" bays (175mm depth limit)
1 dedicated 9.5mm slim optical disk drive bay

Base:

4 USB 3.1 Gen1 Type-A connector. (Left most connector has charging capability)
1 Combo Headset
1 Optional Media Card Reader

Premium:

2 USB 3.1 Gen1 Type-A connector. (Left most connector has charging capability)
2 USB 3.1 Gen2 Type-C™ connector
1 Combo Headset
1 Optional Media Card Reader

Internal Slot 1 CPU1:

PCIe Gen3 x8 - always available

Internal Slot 2 CPU2:

PCIe Gen3 x8 - available when 2nd CPU is installed

2 USB 2.0 ports available with a single 2x5 header
1 USB 2.0 port available with a 1x6 header
1 USB 3.1 Gen1 and 1 USB 2.0 port available with a 2x6 header

Rear I/O

6 USB 3.1 Gen1 (aka USB 3.0)

1 Serial
PS/2 keyboard and mouse
2 RJ-45 to integrated Gigabit LAN
1 Audio Line-In (can be retasked as microphone)
1 Audio Line-Out

Chassis Dimensions (H x W x D)
Footprint:

H: 17.5" [444.5mm]
W: 8.5" [215.9mm]
D: 21.7" [551.2mm] (measured to the rear of service panel)

Maximum:

H: 17.5" [444.5mm]
W: 8.5" [215.9mm]
D: 21.85" [555.2mm] (measured to the embossment for the rear chassis fans)

EAN: 0194441104479
SKU: 6TT62EA#ABB

Genoemde prijzen zijn inclusief BTW en 3 Jaar Garantie

Artikelnummer 103508 op onze site