

Earthquake VTEK-57 Speakers



Locatie **Flevoland, Almere**
<https://www.advertentieX.nl/x-2061205-z>

5" x 7" High End VTEK Series 2-Way Coaxial Car Speakers

Power Handling:

Peak: 400 watts per pair / 200 watts each

RMS: 200 watts per pair / 100 watts each




Tri-layer woven glass fiber cones provide excellent durability

PistonMax wide surrounds pushed out to the edge fo the basket to produce 20% more performance than any other surround

3/4" Silk dome swivel tweeters produce clean and crisp highs

Poly switch tweeter protection

Die-Cast aluminum baskets

 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z	 Earthquake Speakers VTEK-57 https://www.advertentieX.nl/x-2061205-z
---	--	--	--	---	--	--	--	--	--

Two matching metal woofer grilles with trays

Butyl adhesive putty for woofer grilles included

4 ohms impedance

1" ASV high temp voice coil

Neodymium magnet structure

Top-mount depth: 2-5/16"

Cut-Out Diameter: 7-1/4" x 5"

Frequency Response: 40-22,000 Hz

Sensitivity: 90 dB

LET OP: BIEDEN VANAF 50,-

Nog 1 set beschikbaar!

ZIJN SPELENDE TE BELUISTEREN

inbouw mogelijk

Wat je op de foto zietIs wat je krijgt !!!

Doe een goed bodwel serieus bieden...en ze kunnen snel van jou zijn

Verzenden kan ook.....Verzendkosten en risico voor de koper !!!

Ophalen heeft de voorkeur!

Voor meer info kan je mailen of bellen (a.u.b. Niet naar 22 uur bellen .

KIJK OOK MIJN ANDERE!!!