
Main System-WIN CE

CPU: MTK 3360

RAM: 256MB

ROM: 128MB

OS: Windows CE 6.0

GPS

Receiver Module: SiRF

Frequency: 1.575.42GHz

C/A Code: 1.023MHz

Signal Channels: 20

Tracking Sensitivity: -159dBm

Position Sensitivity: 5.0m CEP

Speed Rate: 0.1m/s

Data Update Rate: 1HZ

Recapture Time: Average 0.1s

Hot Startup Time: Average 1s

Warm Startup Time: Average 32s

Cold Startup Time: Average 35s

Maximum Position Altitude: 18000M

Maximum Speed Rate: 500m/s

Built-in Antenna Type: External power source porcelain antenna

Built-in Antenna Voltage: 3.3V +/- 5 Percent

Built-in Antenna Current: 15mA

Built-in Antenna Gain: 27dB

Interface: Touch Screen

GUI interface: YES - 3D type

Maps: Via Micro SD Card

Internet information

3G: Supports USB 3G Dongle (Dongle Not Included)

Display

Screen: 6.2 Inch TFT LCD

Resolution: 800 x 480 RGB

Video Systems: PAL, NTSC, SECAM, AUTO

Disc Information

Region Free (Also known as region zero or no region)

MP4, AVI , MKV, DAT, MPG, MPEG, VOB

Audio Information

Max Audio Output: 45W x 4

Signal-to-noise ratio (SNR): >55dB User Adjustable EQ: Bass, Treble, Balance and Fade

AM/FM Radio Tuner Information

AM Frequency Range: 522 to 1620KHz (Worldwide)

FM Tuning Range: 87.5 to 108.0MHz (Worldwide)

RDS System

Bluetooth

Pair With Mobile Phone - Then Use Touch Screen Interface

Dial, Answer, Stop Call

Volume Control

Touch Screen Keypad

Ports

2x Micro SD card: up to 8GB

MINI USB

AUX

MIC

REST

DVD disc slot

USB

ANT-IN

GPS Antenna Input

B+

ACC

GND

KEY 1

KEY 2

BRAKE

BACK-CAR

CAMERA POWER

AMP-CON

TX

ANT

ILL

Speaker RR out + and

Speaker RL out + and

Speaker FR out + and
Speaker FL out + and
2x VIDEO OUT
PARKV CVBS IN
F CCD CVBS IN
UX CVBS IN
AUX R IN
AUX L IN
RL OUT
RR OUT
FL OUT
FR OUT
SUB OUT
CENTER OUT
IR Receiver
Remote Control

Languages

English, Chinese (Simplified), Chinese (Traditional)

Media Formats

Video: MPEG, AVI, RMVB, ASF, WMV, MP4, MKV, OGM, 1080P, APE, FLV

Audio: MP3, WAV, APE

Picture: JPG, GIF

E-Book: PDF, TXT

Dimensions

Main Product Dimensions: 180x200x110 mm (L x W x D)

Main Product Weight:

Toon telefoonnummer