

2-bay NAS Zyxel NSA325 v2 (175 EUR)



2 Bay

Locatie **Noord-Holland, Amsterdam**
<https://www.advertentieux.nl/x-564958-z>




alleen gebruikt om te testen, zitten twee hd;s in van totaal 1,5 tb

System Specifications Networking

- Network protocol:
 CIFS/SMB, NFS (for Linux/Unix)
 FTP, HTTP
 DHCP client
 PPPoE
 Network Time Protocol (NTP)
 Network application:
 Personal cloud with ownCloud and Polkast support
 Media server:
 - DLNA 1.5 media server
 - UPnP AV server
 - iTunes server
 - SqueezeCenter support
 - Photo album server
 Web server:

- FTP server
 - MySQL/InnoDB/MyS...
 - Joomla & serve...
 - Joomla applic...
 - Joomla media, own...
 - Joomla mailbox, ...
 - Joomla Jvanky B...
 Network application management:
 User & group management
 Package Management for setting up applications
 One-click-hosting sites download manager
 Network security:
 Support HTTPS and FTPES (FTP over explicit TLS/SSL)
 Encrypted NSA to NSA remote replication



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>



2-bay NAS ZYXEL NSA325 V2

<https://www.advertentieux.nl/x-5649>

Encrypted NSA to external disk archive backup

Data Management

Backup support:

One-touch copy/sync button for external USB-capable devices backup

Backup planner:

- Instant/Scheduled backup
- NSA to NSA synchronization/archive backup
- NSA to external USB hard disk backup

Google Drive and dropbox support

Apple Time Machine support

Download/Upload support:

Auto-download from FTP/HTTP/P2P download service

Scheduled download

One-click hosting sites downloading

Auto-upload photos and videos to YouTube/Flickr/FTP server

File system support:

Internal HDD: EXT4

External HDD: NTFS, EXT2, EXT3, EXT4, FAT32, ReiserFS, XFS

System Management

RAID 0, 1, JBOD

Online firmware upgrade

Self-Monitoring Analysis and Reporting Technology (S.M.A.R.T.)

Power and Thermal Management

Power control:

Internal disk hibernation support

Scheduled power on/off/reboot

Wake-on-LAN support

System automatically resume after power outage

APC USB UPS monitoring and auto shutdown

Thermal management:

Smart fan speed control

High temperature alert/buzzer

Auto shutdown while high temperature

Special Feature:

- Hybrid cloud support for remote backup and download, intuitive user interface

Application Package Center

Backup Planner

Gallery

NZBGet

PHP-MySQL

Polkast

SqueezeCenter

Transmission

WordPress

Minimum System Requirements

OS for utility: Windows XP/Vista/7 (32 & 64 bit)/8 (32 & 64 bit)

Browser: IE 7.0+, Firefox 20+, Google Chrome 10+, Safari 5+

Hardware Specifications

2.5" or 3.5" SATA I/II hard disk interface supported up to 12 Terabytes

One Gigabit Ethernet RJ-45 connector

Two USB 2.0 ports

One USB 3.0 port

Buttons:

Power button

Copy/Sync button

Reset button

Smart fan design

Power consumption:

Access mode: 27 watt

Hard disk spin-down mode: 7 watt

Power:

Input: 100 - 240 V AC, 50/60 Hz

Output: 12 V DC, 5 A

Physical Specifications

Item dimensions (WxDxH): 207 x 164 x 123 mm (8.15" x 6.46" x 4.84")

Item weight: 1,257 g (2.77 lb.)

Packing dimensions (WxDxH): 280 x 173 x 275 mm (11.02" x 6.81" x 10.82")
Packing weight: 2,260 g (4.99 lb.)

Environmental Specifications

Operating Environment

Temperature: 0°C to 40°C (32°F to 104°F)

Humidity: 10% to 95% (Non-condensing)

Storage environment

Temperature: -30°C to 70°C (-22°F to 158°F)

Humidity: 10% to 95% (Non-condensing)

Certification

Safety: CE LVD, BSMI

EMC: CE, FCC class B, C-Tick, BSMI

Others: DLNA 1.5, UPnP

Niet bellen na 22.00!

0648560859 Toon nummer