

Blueway 9000G 150Mbps USB Wireless Adapter With Antenna (22,94 EUR)




Locatie Noord-Holland, Amsterdam
<https://www.advertentiex.nl/x-742741-z>

Specification:

Blueway 9000G 150Mbps Wireless Adapter Parameter

Brand
Blueway

 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z	 Blueway 9000G 150Mbps USB Wireless Adapter With Antenna https://www.advertentiex.nl/x-742741-z
---	--	--	--	---	--	--	--	--	--

IEEE802.11b

Operating distance

up to 300 feet indoor & 900 feet in open space

Transmission rate

150Mbps

Frequency Range

2412 ~ 2462 MHz (North America)

2412 ~ 2472 MHz (Europe)

2412 ~ 2484 MHz (Japan)

Chipset

Ralink RT3070

Radio Channel

1~14 channels (Universal Domain Selection)

Range Coverage

Up to 3 times farther range than 802.11g

Modulation type

DBPSK / DQPSK / CCK and BPSK/ QPSK / 16QAM / 64QAM , OFDM DSSS, CCK

Network Support

Auto-switch to use 802.11n or 802.11g or 802.11b mode,

Supports Ad-Hoc, Infrastructure WLAN network

Data rate auto fall-back under noisy environment or longer range distance

Site Survey with Profile function

Wireless roaming

Antenna gain

dBi MIMO technology with stronger signal

Roaming

Full mobility and seamless roaming from cell to cell

Support Systems

WIN2000/XP/VISTA/WIN7/MAC LINUX etc

Security feature

64/128 bit WEP,WPA/WAP-PSK, WPA2, WPA2-PSK ,TKIP/AES

Interface Type

USB 2.0/1.1

Weight

147g

Dimension

Adapter: 80 x 58 x 10.2 mm

Antenna: 163mm

Package Included:

1 x wireless adapter

1 x antenna

1 x USB cable

Bezoek onze webwinkel voor meer interessante!