

Helix p six dsp 6-kanaals versterker 12 en 24 volt (1.199 EUR)



Locatie

Noord-Holland, Amsterdam

<https://www.advertentia.nl/x-886704-z>



The 6-channel amplifier P SIX DSP not only delivers loads of clean power and a top-notch DSP processor, it also comes with a completely new output stage concept that combines the benefits of class D amplifiers with the sound quality of class AB technology. Our unique "Class Ultra D" concept eliminates the negative influence of the indispensable output filters with a revolutionary concept that incorporates an analog feedback path back to the digital domain.

The result: Incredible damping factor (up to 1,000) even at 20 kHz, no load dependency of the frequency response and lowest possible THD for unparalleled sound quality. Almost needless to mention are the numerous input options including SPDIF optical and a HEC (HELIX Extension Card) slot for e.g. Bluetooth® audio streaming or other additional functions.

The P SIX DSP incorporates the same ultimate audio DSP with 64 Bit resolution and unbelievable processing power as HELIX DSP PRO. Two additional RCA outputs allow extending the system with external amplifiers up to eight processed channels. Despite this impressive bundle of engineering know-how the P SIX DSP shows up with a typical, clean design that has remained very compact for easiest integration.

RMS power:

Measured acc. to CEA 2006-A

- Channel A - F @ 4 Ohms: 120 Watts per channel (= 1% THD+N)

- Channel C - F @ 2 Ohms: 215 Watts per channel (= 1% THD+N)

Inputs: 6 x RCA / Cinch

 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z	 Helix p six dsp 6-kanaals versterker 12 en 24 volt https://www.advertentiax.nl/x-8867-04-z
--	--	--	--	--	---	--	--	--	---

DSP power: 295 MHz (1.2 billion MAC operations per second)
Sampling rate: 48 kHz
Signal converters: A/D: BurrBrown D/A: BurrBrown
Signal-to-noise ratio (A-weighted): 105 dB (digital input), 100 dB (analog input)
Distortion (THD): < 0.01 %
Damping factor: > 1,000
Input impedance RCA / Cinch: 64 kOhms
Input impedance highlevel: 30 Ohms or 64 kOhms
Operating voltage: 9.6 - 18 Volts (max. 5 sec. down to 6 Volts)
Additional features: Control Input, USB, HEC slot
Dimensions (H x W x D): 50 x 250 x 190 mm / 1.97 x 9.84 x 7.48"

Wij hebben een showroom met werkplaats in Elst.
ook kunt u bestellen in onze webshop

All Car Products
Industrieweg oost 5B-3
6662 NE ELST
(industrieterrein de AAM)
Elst Gelderland knooppunt Arnhem-Nijmegen

GRATIS verzending in NL vanaf 100 euro

Gespecialiseerd in Car-audio
Ophalen en Verzending mogelijk. (wereldwijd)

Inbouw mogelijk (op afspraak).
Ideal en Paypal geaccepteerd.

Verkoop van alle A-merken!

Openingstijden:
Ma: 13:00 tot 18:00
Di: 10:00 tot 18:00
Wo: 10:00 tot 18:00
Do: 10:00 tot 13:00
Vr: 10:00 tot 18:00
Za: 10:00 tot 17:00
Zo: op afspraak

OPHALEN KAN OOK BUITEN OPENINGSTIJDEN OP AFSPRAAK.
Gewoon even bellen en informeren.
Elke dag mogelijk tot 22:00 (mits wij tijd hebben).
Gelieve geen whatsapp te gebruiken!

Bekijk al onze!