

Alpine PDP-E800DSP - digitale geluidsprocessor en versterker (849 EUR)



Locatie

Noord-Holland, Amsterdam

<https://www.advertentieX.nl/x-912084-z>

8-Channel Digital DSP Amplifier "Alpine PDP-E800DSP

Alpine introduces the all-new PDP-E800DSP Digital DSP amplifier. This amazing all-in-one solution allows sound upgrading for virtually any vehicle with its incredible versatility and connectivity options. Featuring 6 input channels (both pre-amp and speaker level), as well as up to 8 fully configurable output channels allow for a very wide range of system applications and flexibility. Tune your sound with a professional 240-band Parametric EQ, 8 channel digital time correction, as well as a 8 channel digital crossover.

For system setup, use the Alpine PC software to connect wirelessly or via USB to the PDP-E800DSP. The very intuitive and easy-to-use software allows for full control over all settings and displays all data in a very nice graphical user interface.

The free-of-charge Alpine Remote Control for PDP-E800DSP app (available for both Android and iPhone) lets you control your DSP amp on the go and includes the most important functions, such as master-volume, subwoofer level, source selection, pre-set recall and more.

The PDP-E800DSP is the perfect solution especially for OEM upgrades, where the factory radio can be replaced by an after-market solution to get better sound. The Alpine DSP amp simply adds-on to the existing OEM system, allowing you to build any sound system around your factory system.

Algemene info Alpine PDP-E800DSP

6 high-level inputs for OEM system integration

6 analog Pre-Amp inputs (RCA) for aftermarket head unit connectivity

1 digital TOSLINK/SPDIF input

4 high power speaker outputs with power

125 Watts RMS to nominal

1 digital input for

6 analog Pre-Amp inputs for

1 digital TOSLINK/SPDIF input

4 high power speaker outputs with power

125 Watts RMS to nominal

1 digital input for

6 analog Pre-Amp inputs for

1 digital TOSLINK/SPDIF input

4 high power speaker outputs with power

125 Watts RMS to nominal

1 digital input for

6 analog Pre-Amp inputs for

1 digital TOSLINK/SPDIF input

4 high power speaker outputs with power

125 Watts RMS to nominal



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>




Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>



Alpine PDP-E800DSP - digitale geluidsprocessor en versterker
<https://www.advertentieX.nl/x-9120>

Specificaties Versterker Alpine PDP-E800DSP

BurrBrown A/D conversion

Full digital audio path

High output power capability

Total power 700 Watt RMS at 4 ?

100 Watt per channel at 4 ?

120 Watt per channel at 2 ?

200 Watt at 2 ? (2 channels in parallel mode)

Advanced diagnostics for each output channels (shortcut, overheat, clipping)

Start-Stop Engine compatible

Load Capability: 4 â€“ 2 ?

Parallelized output supported

Specificaties DSP Alpine PDP-E800DSP

Latest Analog Device chip (ADAU1452)

Up to 8 speaker outputs with independent adjustable output level

Independent or linkable setups for all output channels

Delay on each channel up to 14,57ms, 0.01msec steps

30-band Graphic Equalizer per channel with configurable frequency, Q (from 1 up to 15) and Gain (-10dB /+10 dB)

Digital X-Over for each channel (HP, LP, BP) 6/12/18/24dB/30dB, type of filter (Butterworth, Bessel, Chebyshev) selectable

Phase Inversion (0,180)

Master Volume (0 â€“ 42dB)

Sub control (0 - 15 dB)

Possibility to save/load up to 6 presets on DSP

Settings can be secured by certificates

Free adjustable analog routing (example: channel mixing for center channel or 3-way input signal)

EQ ON/OFF possible (for each channel)

Delay grouping for easier TCR adjustment (up to 4 groups possible)

TCR ON/OFF for each channel possible

TCR help calculation for beginners

Overview page for all settings

Live monitor (for battery voltage and amp temperature)

Turn ON by signal or wire

Alpine Rux-knob2 ready (master volume or sub level)

Additional gain on analog input (+6; +9db). For sources with lower pre-amp level than 2 Volts

Wij hebben een showroom met werkplaats in Elst.

ook kunt u bestellen in onze webshop

All Car Products
Industrieweg oost 5B-3
6662 NE ELST
(industrieterrein de AAM)
Elst Gelderland knooppunt Arnhem-Nijmegen

GRATIS verzending in NL vanaf 100 euro

Gespecialiseerd in Car-audio
Ophalen en Verzending mogelijk. (wereldwijd)

Inbouw mogelijk (op afspraak).
Ideal en Paypal geaccepteerd.

Verkoop van alle A-merken!

Openingstijden:
Ma: 13:00 tot 18:00
Di: 10:00 tot 18:00
Wo: 10:00 tot 18:00
Do: 10:00 tot 13:00
Vr: 10:00 tot 18:00
Za: 10:00 tot 17:00
Zo: op afspraak

OPHALEN KAN OOK BUITEN OPENINGSTIJDEN OP AFSpraak.
Gewoon even bellen en informeren.
Elke dag mogelijk tot 22:00 (mits wij tijd hebben).
Gelieve geen whatsapp te gebruiken!

Bekijk al onze!