

Servers, switches amp rack R410, R610, DL360 G6, IBM HS-1235T



Locatie **Noord-Holland, Amsterdam**
<https://www.advertentieX.nl/x-922704-z>

Te koop aangeboden:

Homelab sale: Servers, switches & rack, prijs is onderhandelbaar bij afname meerdere producten.

Type: IBM, HS-1235T-ATX (36 TB NAS) (650,-)
 CPU: 1x Xeon E5620 @2.40GHz QC
 MEM: 24GB (3x 8GB) PC3L-10600R
 HDD: 12x 3TB 7.2K SAS
 Controller: LSI SAS9201-8i
 PSU: 2x 850W;
 Acc: Incl. rails

Type: DELL R410 (18 x) (60,- p/s)
 CPU: 1x Intel E5503 @2.0GHz
 MEM: 4GB (2x 2GB PC3-10600R)
 HDD: Geen (4x 3.5inch), 1x caddy
 Controller: Perc6/i
 PSU: 1x 480W
 IDRAC6 Express
 Acc: Geen rails, 11x front bezel & key



Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>



Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>




Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>




Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>



Type: DELL R610 (18 x) (60,- p/s)
 CPU: 1x Intel E5620 @2.40GHz QC
 MEM: 16GB (4x 4GB) PC3-10600R
 HDD: 12x 3TB 7.2K SAS
 Controller: PERC H700
 PSU: 2x 850W
 IDRAC6 Express
 Acc: Incl. rails, front bezel & key

<https://www.advertentieX.nl/x-922704-z>



Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>



Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>



Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>



Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>



Servers, switches amp rack
 R410, R610, DL360 G6, IBM
 HS-1235T

<https://www.advertentieX.nl/x-922704-z>

MEM 16GB
HDD: 1x 146GB SAS (4x 2,5 inch)
Controller: P410i 256MB no BBU
PSU: 2x 460W
ILO remote management
Acc: Geen rails

Type: Supermicro Superserver (Dual Node) (350,-)
HDD: Geen (12x 2,5 inch)
PSU: 1x 1400W Gold
Acc: Incl. rails

Per node:
CPU: 2x Xeon L5640 @2.27GHz
MEM: 32GB PC3-10600R
MB: Supermicro X8DTT-H
IPMI Remote Management

Type: 3Com Baseline Switch 2816-SFP Plus (x1) (35,-)
Network Poorten 16x
Network Snelheid 1000 Mb/s

Type: 3Com Baseline Switch 2816-SFP Plus (x2) (45,- p/s)
Network Poorten 16x
Network Snelheid 1000 Mb/s, SFP 2x

Merk/type: HP pro curve 2626 J4900 A/B (x7) (35,- p/s)
Network Poorten 24x
Network Snelheid 10/100 Mb/s, SFP 2x

Merk/type: World Wide Packets Lightning Edge 310 (1x) (50,-)
3 x 100/1000 Mb SFP optical ports,
1 x 10/100/1000 Mb RJ-45 port
8 x 10/100 Mb RJ-45 ports

Merk/type: TP-LINK TL-SG1024 Unmanaged (50,-)
24 x 1000 Mb/s

Rack: 19 inch audio rack (50,-)
Incl. 3 x legplaten &

